Material Safety Data Sheet

1 Manufacturer Information

Company Name		Ku Ping Enterprise C	o.,Ltd
Address	5.LANE 302,HSIN SI	HUH RD.,HSIN CHUANG CI	
Person in charge		Tony Yang	
Emergency Pone #	+886-2-82013987-9	Fax #	+886-2-820
Item Name		Solder	·
Alloy composition		Lead-free Sn99.3/C	u0.7

2 Hazards Identification

Physical State and Appearance		Solid
Emergency Overview		Warning!
		Avoid contact with eyes. Avoid prolonged or repea
		contact with skin. Wash thoroughly after handling.
Routes of Entry		Inhalation.Ingestion.
Potential Acute Health Effects	Eyes	May be causing irritant in case of eye contact
	Skin	This product may be hazardous in case of skin cont
		(irritant, sensitizer). Skin inflammation is character
		by itching, scaling, reddening, or, occasionally, blis
	Inhalation	Fumes and/ or dusts produced by this product may
		hazardous in case of inhalation.
	Ingestion	This product may be hazardous in case of ingestion
Potential Chronic Health Effects		Chronic effects: Fumes and /or dusts produced by t

product may be hazardous in case of ingestion, of inhalation.

This product may be hazardous in case of skin com (irritant, sensitizer), of eye contact (irritant). Non-corrosive for skin. Non-permeator by skin.







Medical Conditions Aggravated by Overexposure

Repeated or prolonged exposure is not known to aggravate medical condition.

Overexposure/ Signs/ Symptoms

N/A

3 Hazardous Ingredients

Hazard	ous Compone	ents					
Tidzara		.1103					
Common Name	Chemical Formula	weight %	CAS. No.	TWA	STEL	CEILING	LD 50
Tin	Sn	99.3	7440-31-5	2	4	N/A	N/A
Silver	Ag		7440-22-4	0.01	0.03	N/A	N/A
Copper	Cu	0.7	7440-50-8	0.2	N/A	N/A	N/A
Stibium	Sb		7440-36-0	0.5	1.5	N/A	N/A
Rosin	-	2.5~3.0	7/09/8050	0.1	N/A	N/A	N/A

4 First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of
	contact, immediately flush eyes with plenty of wate
	for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plen
	water for at least 15 minutes while removing
	contaminated clothing and shoes. Cover the irritate
	with emollient. Wash clothing before reuse. Thorou

Hazardous Skin Contact	Wash with a disinfectant soap and cover the
	contaminated skin with an anti-bacterial cream. See
	medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, giv
	artificial respiration. If breathing is difficult, give or
	Get medical attention.
Hazardous Inhalation	
Ingestion	Do NOT induce vomiting unless directed to do so
	medical personnel. Never give anything by mouth t
	unconscious person. If large quantities of this mate
	are swallowed, call a physician immediately. Loose
	tight clothing such as a collar, tie, belt or waistband
Hazardous Ingestion	N/A

Fire Fighting Measures

Suitable extinguisher	Dry powdered type
Undder high-temperature condition, do not use wate	Not applicable.
Fire fighters must wear special protective equipment	

Accidental Release Measures

Small Spill and Leak	Use approprite tools to put the spilled solid in a convenient wast
	disposal container. Finish cleaning by spreading water on the
	contaminated surface and dispose of according to local and region
	authority requirements.
Large Spill and Leak	Use a shovel to put the material into a convenient waste disposa
	container. Finish cleaning by spreading water on the contaminate
	surface and allow to evacuate through the sanitary system.

Handling and Storage

Handling	Avoid contact with eyes. Avoid prolonged or repeated contact with skin.
	Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area

Exposure Controls, Personal Protection

Engineering Protection		Use process enclosures, local exhaust ventilation, or other engin
		controls to keep airborne levels below recommended exposure li
		If user operations generate dust, fume or mist, use ventilation to
		exposure to airborne contaminants below the exposure limit.
Personal Protection	Evas	Splash goggles.
Tersonal Profection	•	
	Body	Lab coat.
	Respiratory	Dust respirator. Be sure to use an approved/ certified respirator
		equivalent. Wear appropriate respirator when ventilation.
	Hands	Gloves.
	Feet	Not applicable.
		· · · · · · · · · · · · · · · · · · ·

adequate for a specific process. Consult a specialist bef
Splash goggles. Full Suit. Dust respirator. Boots. O
A self contained breathing apparatus should be use
avoid inhalation of the product. Suggested protects
clothing might not be sufficient; consult a specialist
BEFORE handling this product.

Physical and Chemical Properties

Physical State and Appearance	Solid grey color
Smell	Oc Odorless
Chemical Formula	Not applicable.
pH(1% Soln/ Water)	Not applicable.
Acid Value	Not available.
Boiling/ Condensation Point	Not available.
Melting/ Freezing Point	227℃
Critical Temperature	Not available.
Vapor Pressure	Not applicable.
Vapor Density	Not available.
Volatility	Not available.
Odor Threshold	Not available.
Odor	Not available.
Taste	Not available.
Color	sliver-grey.
Specific Gravity	7.38 (water =1)
Evaporation Rate	Not available.
VOC	Not available.
Viscosity	Not available.
LogKow	The product is insoluble in water and
Ionicity (In Water)	Non-ionic
Dispersion Properties	Is not dispersed in cold water, hot wat
	methanol, diethyl ether, n-octanol, ace
Solubility	Insoluble
Physcial Chemical Comments	Not available.

10 Stability and Reactivity

able in normal conditions. Over melting point, ill emit toxic tin oxides. (Tin)
ightly reactive with oxidizing agents, acids, moist
ot available.
Vill not occur.
ot considered to be corrosive for matals and glass
cording to our database.
ot available.

11 Toxicological Information

Toxic and Chronic Effects on	Fumes and/or dusts produced by this product may be hazardous		
Humans	case of ingestion, of inhalation. This product may be hazardous i		
	of skin contact (irritant, sensitizer), of eye contact (irritant). N		
	corrosive for skin. Non-permeator by skin.		
	MUTAGENIC EFFECTS: Not available.		
	TERATOGENIC EFFECTS : Not available.		
	DEVELOPMENTAL TOXICITY: Not available.		
	The product may be toxic to kidneys, lungs, liver, mucous memb		
	upper respiratory tract, skin, eye, lens or cornea.		
	Repeated or prolonged exposure to the substance can produce to		
	organs damage.		
Toxicity to Animals	LD50: N/A LC50: N/A		

Special Remarks on Chronic	Prolonged and repeated exposure to tin oxyde fumes may result benigne pneumoconiosis (stannosis). (Tin)		
Effects on Humans			
Chronic Effects on Humans	N/A		
	Developmental Toxicity: N/A		
Special Remarks on Other	MOLTEN METAL can cause severe Burns!		
Toxic Effects on Humans	Fumes and dust may irritate eyes, digestive system and respirate		
	tract. (Tin)		
Special Remarks on Toxicity	No additional remark		
on Animals			

12 Ecological Information

Ecotoxicity	Unkown
BOD5 and COD	Unkown
Biodegradable/ OECD	Unkown
Mobility	
	Possibly hazardous short term degradation products are not likely
	However, long term degradation products may arise.
Toxicity of the Products of	The product itself and its products of degradation are not toxic.
Biodegration	
Special Remarks on the	N/A
Products of Biodegradation	

13 Disposal considerations

Waste Information	Waste must be disposed of in accordance with federal, state and		
	local environmental control regulations.		
Waste stream	N/A		
Consult your local or region	nal authorities.		

14 Transport Information

UN Number :	None
UN Transpor	tation name: IATA-Dangerous goods regulations
Clasification:	: Non-DOT restrictive material
Packing class	s: None
Ocean pollu	tion: No
Special trans	sport methods and remarks: N/A

15 Regulatory Information

Compliant to Labor /Sanitary Regulations	
Standards of labor working environment regulating air density of hazardous materials	
Standards of waste handling and storage	
Identification rules on hazardous materials	
Safety rules of road transportation	

16 Other Information

Company	Ku Ping Enterprise Co.,Ltd	
Person in Charge		Tony Yang
Emergency Phone		886-2-82013987
Fax		886-2-82012388
DATE	-	20/11/2016

,TAIWAN,R.O.C	
012388/82012368	
ated	
tact	
rized	
tering.	
tering.	
be	
1.	
this	

(
tact		

1.0.50
LC 50
N/A

ek	
	1
	1
e	
xygen.	
	1
by	1
o an	
rial	
en .	
<u>1. </u>	ı
	1

ie .	
onal	
1	
ed	
a.	
eering	
imits	
keep	
or	

ore using.	
Bloves.	
d to	
ve	
t	
oil.	
ter,	
etone.	

ture.		
s		

in
in case
Jon-
oranes,
arget

in
ry
ry
ly.
1